

Date / Time	Reservoir Discharge CFS*	Reservoir Level Ft Above Sea Level
2/11/2015 14:15	67.500	682.0
2/11/2015 14:30	67.500	682.0
2/11/2015 14:45	67.500	682.0
2/11/2015 15:00	67.500	682.0
2/11/2015 15:15	67.500	682.0
2/11/2015 15:30	67.500	682.0
2/11/2015 15:45	67.500	682.0
2/11/2015 16:00	67.500	682.0
2/11/2015 16:15	67.500	682.0
2/11/2015 16:30	67.500	681.9
2/11/2015 16:45	67.500	682.0
2/11/2015 17:00	67.500	682.0
2/11/2015 17:15	67.500	681.9
2/11/2015 17:30	67.500	681.9
2/11/2015 17:45	67.500	682.0
2/11/2015 18:00	67.500	682.0
2/11/2015 18:15	67.500	682.0
2/11/2015 18:30	67.500	682.0
2/11/2015 18:45	67.500	682.0
2/11/2015 19:00	67.500	682.0
2/11/2015 19:15	67.500	682.1
2/11/2015 19:30	67.500	682.1
2/11/2015 19:45	67.500	682.1
2/11/2015 20:00	67.500	682.1
2/11/2015 20:15	67.500	682.1
2/11/2015 20:30	67.500	682.1
2/11/2015 20:45	67.500	682.1
2/11/2015 21:00	67.500	682.2
2/11/2015 21:15	67.500	682.1
2/11/2015 21:30	67.500	682.1
2/11/2015 21:45	67.500	682.2
2/11/2015 22:00	67.500	682.2
2/11/2015 22:15	67.500	682.2
2/11/2015 22:30	67.500	682.2
2/11/2015 22:45	67.500	682.2
2/11/2015 23:00	67.500	682.2
2/11/2015 23:15	67.500	682.2
2/11/2015 23:30	67.500	682.2
2/11/2015 23:45	67.500	682.2
2/12/2015	67.500	682.1
2/12/2015 0:15	67.500	682.2
2/12/2015 0:30	67.500	682.2
2/12/2015 0:45	67.500	682.2
2/12/2015 1:00	67.500	682.2
2/12/2015 1:15	67.500	682.2

2/12/2015 1:30	67.500	682.2
2/12/2015 1:45	67.500	682.2
2/12/2015 2:00	67.500	682.2
2/12/2015 2:15	67.500	682.2
2/12/2015 2:30	67.500	682.2
2/12/2015 2:45	67.500	682.2
2/12/2015 3:00	67.500	682.2
2/12/2015 3:15	67.500	682.2
2/12/2015 3:30	67.500	682.2
2/12/2015 3:45	67.500	682.2
2/12/2015 4:00	67.500	682.2
2/12/2015 4:15	67.500	682.2
2/12/2015 4:30	67.500	682.2
2/12/2015 4:45	67.500	682.2
2/12/2015 5:00	67.500	682.2
2/12/2015 5:15	67.500	682.2
2/12/2015 5:30	67.500	682.2
2/12/2015 5:45	67.500	682.2
2/12/2015 6:00	67.500	682.2
2/12/2015 6:15	67.500	682.2
2/12/2015 6:30	67.500	682.1
2/12/2015 6:45	67.500	682.2
2/12/2015 7:00	67.500	682.2
2/12/2015 7:15	67.500	682.2
2/12/2015 7:30	67.500	682.2
2/12/2015 7:45	67.500	682.2
2/12/2015 8:00	67.500	682.2
2/12/2015 8:15	67.500	682.2
2/12/2015 8:30	67.500	682.2
2/12/2015 8:45	67.500	682.2
2/12/2015 9:00	67.500	682.2
2/12/2015 9:15	67.500	682.2
2/12/2015 9:30	67.500	682.2
2/12/2015 9:45	67.500	682.2
2/12/2015 10:00	67.500	682.2
2/12/2015 10:15	67.500	682.2
2/12/2015 10:30	67.500	682.2
2/12/2015 10:45	67.500	682.2
2/12/2015 11:00	67.500	682.2
2/12/2015 11:15	67.500	682.2
2/12/2015 11:30	67.500	682.2
2/12/2015 11:45	67.500	682.1
2/12/2015 12:00	67.500	682.2
2/12/2015 12:15	67.500	682.2
2/12/2015 12:30	67.500	682.1
2/12/2015 12:45	67.500	682.1
2/12/2015 13:00	67.500	682.1

2/12/2015 13:15	67.500	681.9
2/12/2015 13:30	67.500	682.1
2/12/2015 13:45	67.500	682.1
2/12/2015 14:00	67.500	682.0
2/12/2015 14:15	67.500	682.1
2/12/2015 14:30	67.500	682.1
2/12/2015 14:45	67.500	682.2
2/12/2015 15:00	67.500	682.2
2/12/2015 15:15	67.500	682.1
2/12/2015 15:30	67.500	682.3
2/12/2015 15:45	67.500	682.0
2/12/2015 16:00	67.500	682.3
2/12/2015 16:15	67.500	681.9
2/12/2015 16:30	67.500	682.1
2/12/2015 16:45	67.500	682.1
2/12/2015 17:00	67.500	682.1
2/12/2015 17:15	67.500	681.8
2/12/2015 17:30	67.500	682.0
2/12/2015 17:45	67.500	682.2
2/12/2015 18:00	67.500	682.1
2/12/2015 18:15	67.500	682.0
2/12/2015 18:30	67.500	682.5
2/12/2015 18:45	67.500	682.1
2/12/2015 19:00	67.500	682.4
2/12/2015 19:15	67.500	682.2
2/12/2015 19:30	67.500	682.4
2/12/2015 19:45	67.500	682.3
2/12/2015 20:00	67.500	682.1
2/12/2015 20:15	67.500	682.0
2/12/2015 20:30	67.500	682.0
2/12/2015 20:45	67.500	682.1
2/12/2015 21:00	67.500	682.0
2/12/2015 21:15	67.500	682.1
2/12/2015 21:30	67.500	681.9
2/12/2015 21:45	67.500	682.0
2/12/2015 22:00	67.500	682.1
2/12/2015 22:15	67.500	682.1
2/12/2015 22:30	67.500	687.8
2/12/2015 22:45	67.500	682.2
2/12/2015 23:00	67.500	682.0
2/12/2015 23:15	67.500	682.2
2/12/2015 23:30	67.500	682.1
2/12/2015 23:45	67.500	682.1
2/13/2015	67.500	682.2
2/13/2015 0:15	67.500	682.1
2/13/2015 0:30	67.500	682.2
2/13/2015 0:45	67.500	682.0

2/13/2015 1:00	67.500	682.1
2/13/2015 1:15	67.500	682.1
2/13/2015 1:30	67.500	682.0
2/13/2015 1:45	67.500	682.1
2/13/2015 2:00	67.500	682.1
2/13/2015 2:15	67.500	682.1
2/13/2015 2:30	67.500	682.0
2/13/2015 2:45	67.500	682.0
2/13/2015 3:00	67.500	682.1
2/13/2015 3:15	67.500	682.1
2/13/2015 3:30	67.500	682.1
2/13/2015 3:45	67.500	682.0
2/13/2015 4:00	67.500	682.1
2/13/2015 4:15	67.500	682.1
2/13/2015 4:30	67.500	682.1
2/13/2015 4:45	67.500	682.1
2/13/2015 5:00	67.500	682.0
2/13/2015 5:15	67.500	682.0
2/13/2015 5:30	67.500	682.1
2/13/2015 5:45	67.500	682.1
2/13/2015 6:00	67.500	682.1
2/13/2015 6:15	67.500	682.1
2/13/2015 6:30	67.500	682.1
2/13/2015 6:45	67.500	682.1
2/13/2015 7:00	67.500	682.1
2/13/2015 7:15	67.500	682.1
2/13/2015 7:30	67.500	682.1
2/13/2015 7:45	67.500	682.2
2/13/2015 8:00	67.500	682.1
2/13/2015 8:15	67.500	682.0
2/13/2015 8:30	67.500	682.1
2/13/2015 8:45	67.500	682.0
2/13/2015 9:00	67.500	682.1
2/13/2015 9:15	67.500	682.2
2/13/2015 9:30	67.500	682.1
2/13/2015 9:45	67.500	682.1
2/13/2015 10:00	67.500	682.1
2/13/2015 10:15	67.500	682.2
2/13/2015 10:30	67.500	682.1
2/13/2015 10:45	67.500	682.1
2/13/2015 11:00	67.500	682.1
2/13/2015 11:15	67.500	682.1
2/13/2015 11:30	67.500	682.2
2/13/2015 11:45	67.500	682.1
2/13/2015 12:00	67.500	682.2
2/13/2015 12:15	67.500	682.0
2/13/2015 12:30	67.500	682.1

2/13/2015 12:45	67.500	682.0
2/13/2015 13:00	67.500	682.0
2/13/2015 13:15	67.500	682.1
2/13/2015 13:30	67.500	682.1
2/13/2015 13:45	67.500	682.0
2/13/2015 14:00	67.500	682.0
2/13/2015 14:15	67.500	682.0
2/13/2015 14:30	67.500	682.0
2/13/2015 14:45	67.500	682.0
2/13/2015 15:00	67.500	682.0
2/13/2015 15:15	67.500	682.0
2/13/2015 15:30	67.500	681.9
2/13/2015 15:45	67.500	681.9
2/13/2015 16:00	67.500	681.9
2/13/2015 16:15	67.500	681.9
2/13/2015 16:30	67.500	681.9
2/13/2015 16:45	67.500	681.9
2/13/2015 17:00	67.500	681.9
2/13/2015 17:15	67.500	681.9
2/13/2015 17:30	67.500	681.9
2/13/2015 17:45	67.500	681.9
2/13/2015 18:00	67.500	682.0
2/13/2015 18:15	67.500	682.0
2/13/2015 18:30	67.500	682.0
2/13/2015 18:45	67.500	682.0
2/13/2015 19:00	67.500	682.0
2/13/2015 19:15	67.500	682.0
2/13/2015 19:30	67.500	682.0
2/13/2015 19:45	67.500	682.1
2/13/2015 20:00	67.500	682.1
2/13/2015 20:15	67.500	682.1
2/13/2015 20:30	67.500	682.1
2/13/2015 20:45	67.500	682.1
2/13/2015 21:00	67.500	682.1
2/13/2015 21:15	67.500	682.1
2/13/2015 21:30	67.500	682.1
2/13/2015 21:45	67.500	682.1
2/13/2015 22:00	67.500	682.1
2/13/2015 22:15	67.500	682.1
2/13/2015 22:30	67.500	682.1
2/13/2015 22:45	67.500	682.1
2/13/2015 23:00	67.500	682.1
2/13/2015 23:15	67.500	682.1
2/13/2015 23:30	67.500	682.1
2/13/2015 23:45	67.500	682.1
2/14/2015	67.500	682.1
2/14/2015 0:15	67.500	682.1

2/14/2015 0:30	67.500	682.1
2/14/2015 0:45	67.500	682.1
2/14/2015 1:00	67.500	682.1
2/14/2015 1:15	67.500	682.1
2/14/2015 1:30	67.500	682.1
2/14/2015 1:45	67.500	682.1
2/14/2015 2:00	67.500	682.1
2/14/2015 2:15	67.500	682.1
2/14/2015 2:30	67.500	682.1
2/14/2015 2:45	67.500	682.1
2/14/2015 3:00	67.500	682.1
2/14/2015 3:15	67.500	682.1
2/14/2015 3:30	67.500	682.1
2/14/2015 3:45	67.500	682.1
2/14/2015 4:00	67.500	682.1
2/14/2015 4:15	67.500	682.1
2/14/2015 4:30	67.500	682.1
2/14/2015 4:45	67.500	682.1
2/14/2015 5:00	67.500	682.1
2/14/2015 5:15	67.500	682.1
2/14/2015 5:30	67.500	682.1
2/14/2015 5:45	67.500	682.1
2/14/2015 6:00	67.500	682.1
2/14/2015 6:15	67.500	682.1
2/14/2015 6:30	67.500	682.1
2/14/2015 6:45	67.500	682.1
2/14/2015 7:00	67.500	682.1
2/14/2015 7:15	67.500	682.1
2/14/2015 7:30	67.500	682.1
2/14/2015 7:45	67.500	682.1
2/14/2015 8:00	67.500	682.1
2/14/2015 8:15	67.500	682.1
2/14/2015 8:30	67.500	682.1
2/14/2015 8:45	67.500	682.1
2/14/2015 9:00	67.500	682.1
2/14/2015 9:15	67.500	682.1
2/14/2015 9:30	67.500	682.1
2/14/2015 9:45	67.500	682.1
2/14/2015 10:00	67.500	682.1
2/14/2015 10:15	67.500	682.1
2/14/2015 10:30	67.500	682.1
2/14/2015 10:45	67.500	682.1
2/14/2015 11:00	67.500	682.0
2/14/2015 11:15	67.500	682.0
2/14/2015 11:30	67.500	682.0
2/14/2015 11:45	67.500	682.1
2/14/2015 12:00	67.500	682.0

2/14/2015 12:15	67.500	682.1
2/14/2015 12:30	67.500	682.0
2/14/2015 12:45	67.500	682.0
2/14/2015 13:00	67.500	682.1
2/14/2015 13:15	67.500	682.0
2/14/2015 13:30	67.500	682.0
2/14/2015 13:45	67.500	682.0
2/14/2015 14:00	67.500	681.9
2/14/2015 14:15	67.500	681.9
2/14/2015 14:30	67.500	682.0
2/14/2015 14:45	67.500	682.0
2/14/2015 15:00	67.500	682.0
2/14/2015 15:15	67.500	681.8
2/14/2015 15:30	67.500	681.8
2/14/2015 15:45	67.500	681.8
2/14/2015 16:00	67.500	682.0
2/14/2015 16:15	67.500	682.0
2/14/2015 16:30	67.500	681.8
2/14/2015 16:45	67.500	682.0
2/14/2015 17:00	67.500	682.0
2/14/2015 17:15	67.500	682.0
2/14/2015 17:30	67.500	682.1
2/14/2015 17:45	67.500	682.0
2/14/2015 18:00	67.500	682.1
2/14/2015 18:15	67.500	682.1
2/14/2015 18:30	67.500	682.0
2/14/2015 18:45	67.500	682.0
2/14/2015 19:00	67.500	682.0
2/14/2015 19:15	67.500	682.1
2/14/2015 19:30	67.500	681.9
2/14/2015 19:45	67.500	682.1
2/14/2015 20:00	67.500	682.1
2/14/2015 20:15	67.500	682.1
2/14/2015 20:30	67.500	682.1
2/14/2015 20:45	67.500	682.0
2/14/2015 21:00	67.500	682.2
2/14/2015 21:15	67.500	681.9
2/14/2015 21:30	67.500	682.4
2/14/2015 21:45	67.500	682.1
2/14/2015 22:00	67.500	682.3
2/14/2015 22:15	67.500	681.9
2/14/2015 22:30	67.500	682.1
2/14/2015 22:45	67.500	682.0
2/14/2015 23:00	67.500	682.0
2/14/2015 23:15	67.500	682.0
2/14/2015 23:30	67.500	681.8
2/14/2015 23:45	67.500	682.4

2/15/2015	67.500	681.9
2/15/2015 0:15	67.500	681.9
2/15/2015 0:30	67.500	681.9
2/15/2015 0:45	67.500	682.0
2/15/2015 1:00	67.500	682.1
2/15/2015 1:15	67.500	682.0
2/15/2015 1:30	67.500	681.9
2/15/2015 1:45	67.500	685.4
2/15/2015 2:00	67.500	682.1
2/15/2015 2:15	67.500	681.8
2/15/2015 2:30	67.500	682.2
2/15/2015 2:45	67.500	682.0
2/15/2015 3:00	67.500	681.9
2/15/2015 3:15	67.500	682.3
2/15/2015 3:30	67.500	682.2
2/15/2015 3:45	67.500	681.9
2/15/2015 4:00	67.500	681.7
2/15/2015 4:15	67.500	682.1
2/15/2015 4:30	67.500	689.8
2/15/2015 4:45	67.500	681.8
2/15/2015 5:00	67.500	682.2
2/15/2015 5:15	67.500	682.0
2/15/2015 5:30	67.500	681.9
2/15/2015 5:45	67.500	682.1
2/15/2015 6:00	67.500	682.0
2/15/2015 6:15	67.500	681.8
2/15/2015 6:30	67.500	682.0
2/15/2015 6:45	67.500	681.9
2/15/2015 7:00	67.500	681.7
2/15/2015 7:15	67.500	681.9
2/15/2015 7:30	67.500	681.9
2/15/2015 7:45	67.500	682.0
2/15/2015 8:15	67.500	682.4
2/15/2015 8:30	67.500	682.2
2/15/2015 8:45	67.500	682.2
2/15/2015 9:00	67.500	681.8
2/15/2015 9:15	67.500	682.0
2/15/2015 9:30	67.500	682.0
2/15/2015 9:45	67.500	681.9
2/15/2015 10:00	67.500	681.9
2/15/2015 10:15	67.500	681.9
2/15/2015 10:30	67.500	682.0
2/15/2015 10:45	67.500	682.0
2/15/2015 11:00	67.500	682.1
2/15/2015 11:15	67.500	682.1
2/15/2015 11:30	67.500	682.0
2/15/2015 11:45	67.500	681.9



2/15/2015 12:00	67.500	682.0
2/15/2015 12:15	67.500	682.0
2/15/2015 12:30	67.500	681.9
2/15/2015 12:45	67.500	681.9
2/15/2015 13:00	67.500	682.0
2/15/2015 13:15	67.500	681.6
2/15/2015 13:30	67.500	681.7
2/15/2015 13:45	67.500	681.9
2/15/2015 14:00	67.500	681.9
2/15/2015 14:15	67.500	681.9
2/15/2015 14:30	67.500	681.8
2/15/2015 14:45	67.500	681.9
2/15/2015 15:00	67.500	681.8
2/15/2015 15:15	67.500	681.7
2/15/2015 15:30	67.500	681.8
2/15/2015 15:45	67.500	681.9
2/15/2015 16:00	67.500	681.9
2/15/2015 16:15	67.500	681.9
2/15/2015 16:30	67.500	681.9
2/15/2015 16:45	67.500	681.8
2/15/2015 17:00	67.500	681.9
2/15/2015 17:15	67.500	681.8
2/15/2015 17:30	67.500	681.8
2/15/2015 17:45	67.500	681.9
2/15/2015 18:00	67.500	681.8
2/15/2015 18:15	67.500	681.9
2/15/2015 18:30	67.500	681.9
2/15/2015 18:45	67.223	681.9
2/15/2015 19:00	67.500	682.1
2/15/2015 19:15	67.294	681.9
2/15/2015 19:30	64.188	682.0
2/15/2015 19:45	63.302	682.0
2/15/2015 20:00	67.500	681.8
2/15/2015 20:15	65.589	682.0
2/15/2015 20:30	64.221	682.0
2/15/2015 20:45	63.105	682.0
2/15/2015 21:00	60.524	681.9
2/15/2015 21:15	59.015	682.0
2/15/2015 21:30	57.698	682.0
2/15/2015 21:45	57.563	682.0
2/15/2015 22:15	55.393	682.0
2/15/2015 22:30	58.183	681.9
2/15/2015 22:45	63.239	682.0
2/15/2015 23:00	65.590	682.0
2/15/2015 23:15	59.580	682.0
2/15/2015 23:30	55.358	682.0
2/15/2015 23:45	51.496	681.9

2/16/2015	51.599	682.0
2/16/2015 0:15	53.412	681.9
2/16/2015 0:30	57.666	682.0
2/16/2015 0:45	57.464	681.9
2/16/2015 1:00	57.812	682.1
2/16/2015 1:15	60.943	682.0
2/16/2015 1:30	58.505	681.9
2/16/2015 1:45	54.626	682.0
2/16/2015 2:00	52.537	681.9
2/16/2015 2:15	51.272	682.0
2/16/2015 2:30	46.334	682.0
2/16/2015 2:45	49.111	682.0
2/16/2015 3:00	49.843	682.0
2/16/2015 3:15	52.225	682.0
2/16/2015 3:30	51.181	682.0
2/16/2015 3:45	48.997	682.0
2/16/2015 4:00	46.986	682.0
2/16/2015 4:15	46.216	682.0
2/16/2015 4:30	47.493	682.0
2/16/2015 4:45	47.689	682.0
2/16/2015 5:00	48.655	682.0
2/16/2015 5:15	46.569	682.0
2/16/2015 5:30	48.281	682.0
2/16/2015 5:45	46.602	682.0
2/16/2015 6:00	45.790	682.0
2/16/2015 6:15	46.820	682.0
2/16/2015 6:30	46.717	682.0
2/16/2015 6:45	45.786	682.0
2/16/2015 7:00	45.244	682.0
2/16/2015 7:15	45.984	682.0
2/16/2015 7:30	47.492	682.0
2/16/2015 7:45	46.705	682.0
2/16/2015 8:00	46.616	682.0
2/16/2015 8:15	45.516	682.0
2/16/2015 8:30	47.793	682.0
2/16/2015 8:45	45.637	682.0
2/16/2015 9:00	45.006	682.0
2/16/2015 9:15	46.324	682.0
2/16/2015 9:30	49.414	682.0
2/16/2015 9:45	47.700	682.0
2/16/2015 10:00	46.446	682.0
2/16/2015 10:15	47.594	682.0
2/16/2015 10:30	45.322	682.0
2/16/2015 10:45	43.088	682.0
2/16/2015 11:00	45.177	682.0
2/16/2015 11:15	46.716	681.9
2/16/2015 11:30	43.502	682.0

2/16/2015 11:45	45.793	682.0
2/16/2015 12:00	42.230	682.0
2/16/2015 12:15	46.664	682.0
2/16/2015 12:30	42.276	682.0
2/16/2015 12:45	46.351	682.0
2/16/2015 13:00	45.253	682.0
2/16/2015 13:15	44.208	682.0
2/16/2015 13:30	47.897	682.0
2/16/2015 13:45	47.064	682.0
2/16/2015 14:00	46.514	682.0
2/16/2015 14:15	45.419	682.0
2/16/2015 14:30	43.880	682.0
2/16/2015 14:45	45.173	682.0
2/16/2015 15:00	42.996	682.0
2/16/2015 15:15	44.370	682.0
2/16/2015 15:30	42.986	682.0
2/16/2015 15:45	44.756	682.0
2/16/2015 16:00	45.406	682.0
2/16/2015 16:15	46.705	682.0
2/16/2015 16:30	46.004	682.0
2/16/2015 16:45	46.617	682.0
2/16/2015 17:00	44.427	682.0
2/16/2015 17:30	46.300	682.0
2/16/2015 17:45	45.234	682.0
2/16/2015 18:00	44.848	682.0
2/16/2015 18:15	43.897	682.0
2/16/2015 18:30	47.398	682.0
2/16/2015 18:45	46.136	682.0
2/16/2015 19:00	44.753	682.0
2/16/2015 19:15	47.010	682.0
2/16/2015 19:30	44.615	682.0
2/16/2015 19:45	46.549	682.0
2/16/2015 20:00	46.769	682.0
2/16/2015 20:15	47.585	682.0
2/16/2015 20:30	49.830	682.0
2/16/2015 20:45	46.959	682.0
2/16/2015 21:00	50.421	682.0
2/16/2015 21:15	51.280	682.0
2/16/2015 21:30	52.021	682.0
2/16/2015 21:45	50.106	682.0
2/16/2015 22:00	50.232	682.0
2/16/2015 22:15	51.872	682.0
2/16/2015 22:45	48.186	682.0
2/16/2015 23:00	51.699	682.0
2/16/2015 23:15	53.863	682.0
2/16/2015 23:30	53.940	682.0
2/16/2015 23:45	54.775	682.0

2/17/2015	56.111	682.0
2/17/2015 0:15	57.049	682.0
2/17/2015 0:30	57.392	682.0
2/17/2015 0:45	57.118	682.0
2/17/2015 1:00	57.419	682.0
2/17/2015 1:15	59.081	682.0
2/17/2015 1:30	58.460	682.1
2/17/2015 1:45	56.657	682.0
2/17/2015 2:00	55.918	682.0
2/17/2015 2:15	61.993	682.1
2/17/2015 2:30	62.482	682.0
2/17/2015 2:45	63.597	682.0
2/17/2015 3:00	57.852	682.0
2/17/2015 3:15	59.910	682.0
2/17/2015 3:30	61.399	682.0
2/17/2015 3:45	67.500	682.1
2/17/2015 4:00	67.500	682.0
2/17/2015 4:15	67.500	682.0
2/17/2015 4:30	67.385	681.9
2/17/2015 4:45	64.497	682.0
2/17/2015 5:00	63.537	682.0
2/17/2015 5:15	56.964	682.0
2/17/2015 5:30	56.007	682.0
2/17/2015 5:45	60.448	682.1
2/17/2015 6:00	62.239	682.0
2/17/2015 6:15	60.787	682.0
2/17/2015 6:30	64.761	682.0
2/17/2015 6:45	66.205	682.0
2/17/2015 7:00	64.598	682.1
2/17/2015 7:15	62.895	682.0
2/17/2015 7:30	61.777	682.0
2/17/2015 7:45	62.471	682.0
2/17/2015 8:00	60.254	682.1
2/17/2015 8:15	62.471	682.0
2/17/2015 8:30	59.362	682.0
2/17/2015 8:45	63.107	682.0
2/17/2015 9:00	63.010	682.0
2/17/2015 9:15	61.800	682.0
2/17/2015 9:30	57.854	682.1
2/17/2015 9:45	55.189	682.0
2/17/2015 10:00	57.896	682.0
2/17/2015 10:15	58.903	682.0
2/17/2015 10:30	57.540	682.0
2/17/2015 10:45	58.060	682.0
2/17/2015 11:00	57.934	682.0
2/17/2015 11:15	58.911	682.0
2/17/2015 11:30	57.075	682.0

2/17/2015 11:45	58.611	682.0
2/17/2015 12:00	57.802	682.0
2/17/2015 12:15	62.494	681.9
2/17/2015 12:30	61.089	681.9
2/17/2015 12:45	61.681	681.9
2/17/2015 13:00	62.567	681.9
2/17/2015 13:15	66.943	681.8
2/17/2015 13:30	66.431	681.9
2/17/2015 13:45	63.512	681.9
2/17/2015 14:00	58.545	681.9
2/17/2015 14:15	58.473	681.9
2/17/2015 14:30	58.351	681.9
2/17/2015 14:45	59.698	681.9
2/17/2015 15:00	58.801	681.9
2/17/2015 15:15	55.154	682.0
2/17/2015 15:30	57.450	681.9
2/17/2015 15:45	55.100	681.9
2/17/2015 16:00	56.696	681.9
2/17/2015 16:15	56.113	681.9
2/17/2015 16:30	56.403	681.9
2/17/2015 16:45	57.278	681.9
2/17/2015 17:00	56.403	681.9
2/17/2015 17:15	57.586	682.0
2/17/2015 17:30	55.837	682.0
2/17/2015 17:45	53.721	682.0
2/17/2015 18:00	55.226	682.0
2/17/2015 18:15	55.290	682.0
2/17/2015 18:30	56.663	682.0
2/17/2015 18:45	54.959	682.0
2/17/2015 19:00	56.023	682.0
2/17/2015 19:15	55.032	682.0
2/17/2015 19:30	53.860	682.0
2/17/2015 19:45	55.682	682.0
2/17/2015 20:00	54.026	682.0
2/17/2015 20:15	53.607	682.0
2/17/2015 20:30	54.390	682.0
2/17/2015 20:45	55.711	682.0
2/17/2015 21:00	55.481	682.0
2/17/2015 21:15	56.256	682.0
2/17/2015 21:30	53.373	682.0
2/17/2015 21:45	54.777	682.0
2/17/2015 22:00	55.754	682.0
2/17/2015 22:15	54.847	682.0
2/17/2015 22:30	54.741	682.0
2/17/2015 22:45	54.935	682.0
2/17/2015 23:00	56.534	682.0
2/17/2015 23:15	56.524	682.0

2/17/2015 23:30	56.483	682.0
2/17/2015 23:45	56.084	682.0
2/18/2015 0:15	56.348	682.0
2/18/2015 0:30	54.190	682.0
2/18/2015 0:45	54.961	682.0
2/18/2015 1:00	54.649	682.0
2/18/2015 1:15	56.895	682.0
2/18/2015 1:30	58.018	682.0
2/18/2015 1:45	54.524	682.0
2/18/2015 2:00	55.366	682.0
2/18/2015 2:15	55.153	682.0
2/18/2015 2:30	58.176	682.0
2/18/2015 2:45	54.029	682.0
2/18/2015 3:00	54.881	682.0
2/18/2015 3:15	58.825	682.0
2/18/2015 3:30	58.540	682.0
2/18/2015 3:45	58.358	682.0
2/18/2015 4:00	56.974	682.0
2/18/2015 4:15	57.936	682.0
2/18/2015 4:30	57.492	682.0
2/18/2015 4:45	56.094	682.0
2/18/2015 5:00	56.542	682.0
2/18/2015 5:15	58.787	682.0
2/18/2015 5:30	55.738	682.0
2/18/2015 5:45	58.181	682.0
2/18/2015 6:00	59.000	682.0
2/18/2015 6:15	57.390	682.0
2/18/2015 6:30	56.394	682.0
2/18/2015 6:45	57.050	682.0
2/18/2015 7:00	55.197	682.0
2/18/2015 7:15	53.821	682.0
2/18/2015 7:30	55.697	682.0
2/18/2015 7:45	56.245	682.0
2/18/2015 8:00	59.501	682.0
2/18/2015 8:15	59.446	682.0
2/18/2015 8:30	56.217	682.0
2/18/2015 8:45	54.389	682.0
2/18/2015 9:00	56.781	682.0
2/18/2015 9:15	55.476	682.0
2/18/2015 9:30	55.642	682.0
2/18/2015 9:45	54.988	682.1
2/18/2015 10:00	57.234	682.1
2/18/2015 10:15	61.547	682.0
2/18/2015 10:30	58.265	682.1
2/18/2015 10:45	56.675	682.0
2/18/2015 11:00	56.407	682.1
2/18/2015 11:15	56.284	682.1

2/18/2015 11:30	54.737	682.0
2/18/2015 11:45	56.870	682.1
2/18/2015 12:00	55.109	682.0
2/18/2015 12:15	56.358	682.0
2/18/2015 12:30	56.964	682.0
2/18/2015 12:45	56.480	681.9
2/18/2015 13:00	53.813	681.9
2/18/2015 13:15	53.160	681.9
2/18/2015 13:45	51.085	681.8
2/18/2015 14:00	53.276	681.9
2/18/2015 14:15	56.451	681.9
2/18/2015 14:30	60.141	681.9

Average Flow                      62.376

\* 67.5 CFS is the greatest flow that can be measured at discharge weir