

Date / Time	Reservoir Discharge CFS*	Reservoir Level Ft Above Sea Level
2/18/2015 14:45	55.446	681.9
2/18/2015 15:00	58.133	681.9
2/18/2015 15:15	59.662	681.9
2/18/2015 15:30	56.811	681.9
2/18/2015 15:45	57.010	682.0
2/18/2015 16:00	58.364	682.0
2/18/2015 16:15	55.944	682.0
2/18/2015 16:30	57.771	682.0
2/18/2015 16:45	61.668	682.0
2/18/2015 17:00	67.500	681.9
2/18/2015 17:15	67.500	692.1
2/18/2015 17:30	67.500	682.0
2/18/2015 17:45	67.500	682.0
2/18/2015 18:00	67.500	681.8
2/18/2015 18:15	67.500	682.0
2/18/2015 18:30	61.657	682.0
2/18/2015 18:45	55.511	682.0
2/18/2015 19:00	63.489	682.0
2/18/2015 19:15	67.500	681.7
2/18/2015 19:30	67.500	681.9
2/18/2015 19:45	67.500	682.1
2/18/2015 20:00	67.500	682.1
2/18/2015 20:15	67.500	682.0
2/18/2015 20:30	67.500	681.9
2/18/2015 20:45	67.500	681.9
2/18/2015 21:00	67.500	681.9
2/18/2015 21:15	67.500	681.9
2/18/2015 21:30	67.500	682.1
2/18/2015 21:45	67.500	682.7
2/18/2015 22:00	67.500	682.0
2/18/2015 22:15	67.500	682.1
2/18/2015 22:30	67.500	682.0
2/18/2015 22:45	67.500	681.9
2/18/2015 23:00	67.500	681.9
2/18/2015 23:15	67.500	682.1
2/18/2015 23:30	67.500	682.1
2/18/2015 23:45	67.500	682.0
2/19/2015	67.500	682.0
2/19/2015 0:15	67.500	682.0
2/19/2015 0:30	67.500	681.9
2/19/2015 0:45	67.500	681.9
2/19/2015 1:00	67.500	682.1
2/19/2015 1:15	67.500	681.8
2/19/2015 1:30	67.500	682.0
2/19/2015 1:45	67.500	682.0

2/19/2015 2:00	67.500	681.7
2/19/2015 2:15	67.500	682.0
2/19/2015 2:30	67.500	682.0
2/19/2015 2:45	67.500	681.9
2/19/2015 3:00	67.500	682.1
2/19/2015 3:15	67.500	682.0
2/19/2015 3:30	67.500	682.0
2/19/2015 3:45	67.500	682.0
2/19/2015 4:00	67.500	681.9
2/19/2015 4:15	67.500	682.0
2/19/2015 4:30	67.500	682.0
2/19/2015 4:45	67.500	682.1
2/19/2015 5:00	67.500	682.0
2/19/2015 5:15	67.500	682.1
2/19/2015 5:30	67.500	681.8
2/19/2015 5:45	67.500	681.9
2/19/2015 6:00	67.500	681.9
2/19/2015 6:15	67.500	682.0
2/19/2015 6:30	67.500	682.1
2/19/2015 6:45	67.500	682.0
2/19/2015 7:00	67.500	681.9
2/19/2015 7:15	67.500	682.0
2/19/2015 7:30	67.500	681.9
2/19/2015 7:45	67.500	682.1
2/19/2015 8:00	67.500	682.0
2/19/2015 8:15	67.500	681.9
2/19/2015 8:30	67.500	682.0
2/19/2015 8:45	67.500	681.9
2/19/2015 9:00	67.500	681.9
2/19/2015 9:15	67.500	682.0
2/19/2015 9:30	67.500	682.0
2/19/2015 9:45	67.500	682.0
2/19/2015 10:00	67.500	682.0
2/19/2015 10:15	67.500	682.0
2/19/2015 10:45	67.500	682.0
2/19/2015 11:00	67.500	681.9
2/19/2015 11:15	67.500	682.0
2/19/2015 11:30	67.500	682.0
2/19/2015 11:45	67.500	681.9
2/19/2015 12:00	67.500	682.0
2/19/2015 12:15	67.500	682.1
2/19/2015 12:30	67.500	681.8
2/19/2015 12:45	67.500	682.0
2/19/2015 13:00	67.500	681.9
2/19/2015 13:15	67.500	681.9
2/19/2015 13:30	67.500	681.8
2/19/2015 13:45	67.500	681.9

2/19/2015 14:00	67.500	681.7
2/19/2015 14:15	67.500	682.0
2/19/2015 14:30	67.500	681.8
2/19/2015 14:45	67.500	681.9
2/19/2015 15:00	67.500	682.2
2/19/2015 15:15	67.500	681.9
2/19/2015 15:30	67.500	681.9
2/19/2015 15:45	67.500	681.8
2/19/2015 16:00	67.500	682.1
2/19/2015 16:15	67.500	681.7
2/19/2015 16:30	67.500	681.8
2/19/2015 16:45	67.500	681.8
2/19/2015 17:00	67.500	682.0
2/19/2015 17:15	67.500	681.8
2/19/2015 17:30	67.500	681.8
2/19/2015 17:45	67.500	681.8
2/19/2015 18:00	67.500	681.8
2/19/2015 18:15	67.500	681.9
2/19/2015 18:30	67.500	681.9
2/19/2015 18:45	67.500	682.0
2/19/2015 19:00	67.500	681.9
2/19/2015 19:15	67.500	682.0
2/19/2015 19:30	67.500	682.0
2/19/2015 19:45	67.500	682.0
2/19/2015 20:00	67.500	681.8
2/19/2015 20:15	67.500	682.0
2/19/2015 20:30	67.500	681.9
2/19/2015 20:45	67.500	681.9
2/19/2015 21:00	67.500	681.9
2/19/2015 21:15	67.500	682.0
2/19/2015 21:30	67.500	682.0
2/19/2015 21:45	67.500	682.1
2/19/2015 22:00	67.500	682.0
2/19/2015 22:15	67.500	682.0
2/19/2015 22:30	67.500	682.0
2/19/2015 22:45	67.500	681.9
2/19/2015 23:00	67.500	682.0
2/19/2015 23:15	56.509	682.0
2/19/2015 23:30	62.160	682.0
2/19/2015 23:45	60.771	682.0
2/20/2015 0:15	64.463	682.0
2/20/2015 0:30	63.568	682.0
2/20/2015 0:45	63.636	682.0
2/20/2015 1:00	66.640	681.9
2/20/2015 1:15	59.214	681.9
2/20/2015 1:30	57.447	681.9
2/20/2015 1:45	53.768	682.0

2/20/2015 2:00	52.892	682.0
2/20/2015 2:15	51.311	682.0
2/20/2015 2:30	49.797	682.0
2/20/2015 2:45	49.822	682.0
2/20/2015 3:00	50.046	682.0
2/20/2015 3:15	53.952	682.0
2/20/2015 3:30	54.837	682.0
2/20/2015 3:45	49.532	682.0
2/20/2015 4:00	51.512	682.0
2/20/2015 4:15	50.631	682.0
2/20/2015 4:30	51.103	682.0
2/20/2015 4:45	49.796	682.0
2/20/2015 5:00	50.245	682.0
2/20/2015 5:15	50.091	682.1
2/20/2015 5:30	49.928	682.0
2/20/2015 5:45	48.358	682.0
2/20/2015 6:00	49.294	682.0
2/20/2015 6:15	48.618	682.0
2/20/2015 6:30	48.327	682.0
2/20/2015 6:45	47.667	682.0
2/20/2015 7:00	47.658	682.0
2/20/2015 7:15	48.654	682.0
2/20/2015 7:30	51.916	682.0
2/20/2015 7:45	52.367	682.0
2/20/2015 8:00	55.316	682.0
2/20/2015 8:15	53.590	682.0
2/20/2015 8:30	50.086	682.0
2/20/2015 8:45	50.351	682.1
2/20/2015 9:00	47.684	682.1
2/20/2015 9:15	51.410	682.0
2/20/2015 9:30	52.900	682.0
2/20/2015 9:45	53.553	682.0
2/20/2015 10:00	55.532	682.0
2/20/2015 10:15	62.035	682.0
2/20/2015 10:30	62.474	682.0
2/20/2015 10:45	64.655	682.0
2/20/2015 11:00	57.737	682.0
2/20/2015 11:15	56.742	682.0
2/20/2015 11:30	59.963	682.0
2/20/2015 11:45	57.169	682.0
2/20/2015 12:00	54.285	682.0
2/20/2015 12:15	50.609	682.0
2/20/2015 12:30	48.995	682.0
2/20/2015 12:45	49.465	681.9
2/20/2015 13:00	49.036	681.8
2/20/2015 13:15	50.785	681.9
2/20/2015 13:30	47.674	681.8

2/20/2015 13:45	54.548	681.8
2/20/2015 14:00	49.264	681.8
2/20/2015 14:15	51.132	681.8
2/20/2015 14:30	50.347	681.8
2/20/2015 14:45	49.196	681.8
2/20/2015 15:00	48.887	681.8
2/20/2015 15:15	47.976	681.8
2/20/2015 15:30	44.889	681.8
2/20/2015 15:45	48.188	681.8
2/20/2015 16:00	48.238	681.8
2/20/2015 16:15	46.561	681.7
2/20/2015 16:30	44.580	681.7
2/20/2015 16:45	45.432	681.8
2/20/2015 17:00	48.815	681.8
2/20/2015 17:15	47.054	681.8
2/20/2015 17:30	46.502	681.8
2/20/2015 17:45	44.663	681.8
2/20/2015 18:00	45.881	681.8
2/20/2015 18:15	45.159	681.8
2/20/2015 18:30	44.390	681.8
2/20/2015 18:45	46.702	681.9
2/20/2015 19:00	46.312	681.9
2/20/2015 19:15	45.760	681.9
2/20/2015 19:30	42.555	681.9
2/20/2015 19:45	44.657	681.9
2/20/2015 20:00	46.830	681.9
2/20/2015 20:15	43.270	681.9
2/20/2015 20:30	44.624	682.0
2/20/2015 20:45	43.958	682.0
2/20/2015 21:00	45.966	681.9
2/20/2015 21:15	45.139	682.0
2/20/2015 21:30	46.001	682.0
2/20/2015 21:45	44.743	682.0
2/20/2015 22:00	41.144	682.0
2/20/2015 22:15	44.766	682.0
2/20/2015 22:30	43.183	682.0
2/20/2015 22:45	47.296	682.0
2/20/2015 23:00	45.722	682.0
2/20/2015 23:15	42.956	682.0
2/20/2015 23:30	44.860	682.0
2/20/2015 23:45	42.254	682.0
2/21/2015	45.184	682.0
2/21/2015 0:15	44.029	682.0
2/21/2015 0:30	43.455	682.0
2/21/2015 0:45	42.905	682.0
2/21/2015 1:00	44.227	682.0
2/21/2015 1:15	44.170	682.0

2/21/2015 1:30	46.287	682.0
2/21/2015 1:45	46.065	682.0
2/21/2015 2:00	44.023	682.0
2/21/2015 2:15	43.987	682.0
2/21/2015 2:30	43.450	682.0
2/21/2015 2:45	44.923	682.0
2/21/2015 3:00	46.317	682.0
2/21/2015 3:15	42.187	682.0
2/21/2015 3:30	44.088	682.0
2/21/2015 3:45	44.292	682.0
2/21/2015 4:00	41.463	682.0
2/21/2015 4:15	43.013	682.0
2/21/2015 4:30	41.405	682.0
2/21/2015 4:45	44.073	682.0
2/21/2015 5:00	43.927	682.0
2/21/2015 5:15	44.107	682.0
2/21/2015 5:30	44.189	682.0
2/21/2015 5:45	44.981	682.0
2/21/2015 6:00	44.607	682.0
2/21/2015 6:15	42.811	682.0
2/21/2015 6:30	43.730	682.0
2/21/2015 6:45	42.641	682.0
2/21/2015 7:00	42.333	682.0
2/21/2015 7:15	43.273	682.0
2/21/2015 7:30	43.982	682.0
2/21/2015 7:45	43.754	682.0
2/21/2015 8:00	43.116	682.0
2/21/2015 8:15	41.917	682.0
2/21/2015 8:30	44.248	682.0
2/21/2015 8:45	40.904	682.0
2/21/2015 9:00	43.475	682.0
2/21/2015 9:15	43.005	682.0
2/21/2015 9:30	44.159	682.0
2/21/2015 9:45	43.386	682.0
2/21/2015 10:00	43.919	682.0
2/21/2015 10:15	44.765	682.0
2/21/2015 10:30	42.687	682.0
2/21/2015 10:45	42.373	682.0
2/21/2015 11:00	42.901	682.0
2/21/2015 11:15	44.884	682.0
2/21/2015 11:30	41.702	682.0
2/21/2015 11:45	45.519	682.0
2/21/2015 12:00	45.353	682.0
2/21/2015 12:15	44.270	682.0
2/21/2015 12:30	44.110	682.0
2/21/2015 12:45	43.974	682.0
2/21/2015 13:00	42.253	682.0

2/21/2015 13:15	44.064	682.0
2/21/2015 13:30	45.104	682.0
2/21/2015 13:45	45.737	682.0
2/21/2015 14:00	45.884	682.0
2/21/2015 14:15	46.466	682.0
2/21/2015 14:30	48.297	682.0
2/21/2015 15:00	45.403	682.0
2/21/2015 15:15	43.363	682.0
2/21/2015 15:30	42.931	682.0
2/21/2015 15:45	46.272	682.0
2/21/2015 16:00	43.933	682.0
2/21/2015 16:15	44.545	682.0
2/21/2015 16:30	45.364	682.0
2/21/2015 16:45	43.898	682.0
2/21/2015 17:00	42.477	682.0
2/21/2015 17:15	41.594	682.0
2/21/2015 17:45	44.419	682.0
2/21/2015 18:00	43.738	682.0
2/21/2015 18:15	42.976	682.0
2/21/2015 18:30	45.255	682.0
2/21/2015 18:45	42.354	682.0
2/21/2015 19:00	42.310	682.0
2/21/2015 19:15	40.881	682.0
2/21/2015 19:30	43.259	682.0
2/21/2015 19:45	44.533	682.0
2/21/2015 20:00	46.037	682.0
2/21/2015 20:15	45.463	682.0
2/21/2015 20:30	45.672	682.0
2/21/2015 20:45	44.934	682.0
2/21/2015 21:00	42.293	682.0
2/21/2015 21:15	42.787	682.0
2/21/2015 21:30	41.227	682.0
2/21/2015 21:45	44.474	682.0
2/21/2015 22:00	43.828	682.0
2/21/2015 22:15	45.284	682.0
2/21/2015 22:30	46.983	682.0
2/21/2015 22:45	46.728	682.0
2/21/2015 23:00	43.371	682.0
2/21/2015 23:30	41.828	682.0
2/21/2015 23:45	43.197	682.0
2/22/2015	44.581	682.0
2/22/2015 0:15	46.277	682.0
2/22/2015 0:30	44.788	682.0
2/22/2015 0:45	43.773	682.0
2/22/2015 1:00	43.852	682.0
2/22/2015 1:15	42.778	682.0
2/22/2015 1:30	42.629	682.0

2/22/2015 1:45	43.345	682.0
2/22/2015 2:00	43.556	682.0
2/22/2015 2:15	44.780	682.0
2/22/2015 2:30	43.514	682.0
2/22/2015 2:45	44.516	682.0
2/22/2015 3:00	43.701	682.0
2/22/2015 3:15	41.857	682.0
2/22/2015 3:30	42.399	682.0
2/22/2015 3:45	46.930	682.0
2/22/2015 4:00	45.002	682.0
2/22/2015 4:15	44.581	682.0
2/22/2015 4:30	45.018	682.0
2/22/2015 4:45	51.440	682.0
2/22/2015 5:00	48.430	682.0
2/22/2015 5:15	48.542	682.0
2/22/2015 5:30	47.323	682.0
2/22/2015 5:45	53.213	682.0
2/22/2015 6:00	49.185	682.0
2/22/2015 6:15	55.772	682.0
2/22/2015 6:30	52.404	682.0
2/22/2015 6:45	52.220	682.0
2/22/2015 7:00	47.291	682.0
2/22/2015 7:15	49.969	682.0
2/22/2015 7:30	49.840	682.0
2/22/2015 7:45	50.452	682.0
2/22/2015 8:00	53.319	682.0
2/22/2015 8:15	53.809	682.1
2/22/2015 8:30	57.599	682.0
2/22/2015 8:45	55.321	682.0
2/22/2015 9:00	53.424	682.0
2/22/2015 9:15	58.029	682.0
2/22/2015 9:30	52.788	682.0
2/22/2015 9:45	57.001	682.0
2/22/2015 10:00	55.605	682.0
2/22/2015 10:15	56.089	682.0
2/22/2015 10:30	57.129	682.0
2/22/2015 10:45	58.219	682.0
2/22/2015 11:00	60.821	682.0
2/22/2015 11:15	59.313	682.0
2/22/2015 11:30	57.113	682.0
2/22/2015 11:45	58.363	682.1
2/22/2015 12:00	56.561	682.1
2/22/2015 12:15	56.425	682.0
2/22/2015 12:30	60.439	682.0
2/22/2015 12:45	61.044	682.0
2/22/2015 13:00	64.323	682.0
2/22/2015 13:15	65.376	682.0

2/22/2015 13:30	66.428	682.0
2/22/2015 13:45	65.454	682.0
2/22/2015 14:00	60.425	682.1
2/22/2015 14:15	66.351	682.1
2/22/2015 14:30	65.491	682.1
2/22/2015 14:45	65.441	682.1
2/22/2015 15:00	67.500	682.1
2/22/2015 15:15	67.500	682.1
2/22/2015 15:30	67.500	682.0
2/22/2015 15:45	67.500	682.0
2/22/2015 16:00	67.500	682.0
2/22/2015 16:15	67.500	682.0
2/22/2015 16:30	67.500	682.0
2/22/2015 16:45	67.500	682.0
2/22/2015 17:00	67.500	682.0
2/22/2015 17:15	67.500	682.0
2/22/2015 17:30	67.500	682.0
2/22/2015 17:45	67.500	682.0
2/22/2015 18:00	67.500	682.0
2/22/2015 18:15	67.500	682.0
2/22/2015 18:30	67.500	682.0
2/22/2015 18:45	67.500	682.0
2/22/2015 19:00	67.500	682.0
2/22/2015 19:15	67.500	682.0
2/22/2015 19:30	67.500	682.1
2/22/2015 19:45	67.500	682.0
2/22/2015 20:00	67.500	682.1
2/22/2015 20:15	67.500	682.1
2/22/2015 20:30	67.500	682.1
2/22/2015 20:45	67.500	682.1
2/22/2015 21:00	67.500	682.1
2/22/2015 21:15	67.500	682.1
2/22/2015 21:30	67.500	682.1
2/22/2015 21:45	67.500	682.1
2/22/2015 22:00	67.500	682.1
2/22/2015 22:15	67.500	682.1
2/22/2015 22:30	67.500	682.1
2/22/2015 22:45	67.500	682.1
2/22/2015 23:00	67.500	682.1
2/22/2015 23:15	67.500	682.1
2/22/2015 23:30	67.500	682.1
2/22/2015 23:45	67.500	682.1
2/23/2015	67.500	682.1
2/23/2015 0:15	67.500	682.1
2/23/2015 0:30	67.500	682.1
2/23/2015 0:45	67.500	682.1
2/23/2015 1:00	67.500	682.1

2/23/2015 1:15	67.500	682.1
2/23/2015 1:30	67.500	682.1
2/23/2015 1:45	67.500	682.1
2/23/2015 2:00	67.500	682.1
2/23/2015 2:15	67.500	682.1
2/23/2015 2:30	67.500	682.1
2/23/2015 2:45	67.500	682.1
2/23/2015 3:00	67.500	682.1
2/23/2015 3:15	67.500	682.2
2/23/2015 3:30	67.500	682.1
2/23/2015 3:45	67.500	682.1
2/23/2015 4:00	67.500	682.1
2/23/2015 4:15	67.500	682.1
2/23/2015 4:30	67.500	682.1
2/23/2015 4:45	67.500	682.1
2/23/2015 5:00	67.500	682.1
2/23/2015 5:15	67.500	682.1
2/23/2015 5:30	67.500	682.1
2/23/2015 5:45	67.500	682.2
2/23/2015 6:00	67.500	682.1
2/23/2015 6:15	67.500	682.1
2/23/2015 6:30	67.500	682.1
2/23/2015 6:45	67.500	682.1
2/23/2015 7:00	67.500	682.1
2/23/2015 7:15	67.500	682.1
2/23/2015 7:30	67.500	682.1
2/23/2015 7:45	67.500	682.1
2/23/2015 8:00	67.500	682.1
2/23/2015 8:15	67.500	682.1
2/23/2015 8:30	67.500	682.1
2/23/2015 8:45	67.500	682.1
2/23/2015 9:00	67.500	683.1
2/23/2015 9:15	67.500	682.1
2/23/2015 9:30	67.500	682.1
2/23/2015 9:45	67.500	682.1
2/23/2015 10:00	67.500	682.2
2/23/2015 10:15	67.500	682.1
2/23/2015 10:30	67.500	688.8
2/23/2015 10:45	67.500	682.1
2/23/2015 11:00	67.500	682.2
2/23/2015 11:15	67.500	682.2
2/23/2015 11:30	67.500	682.1
2/23/2015 11:45	67.500	682.1
2/23/2015 12:00	67.500	682.1
2/23/2015 12:15	67.500	682.1
2/23/2015 12:30	67.500	682.2
2/23/2015 12:45	67.500	682.1

2/23/2015 13:00	67.500	682.1
2/23/2015 13:15	67.500	682.1
2/23/2015 13:30	67.500	682.1
2/23/2015 13:45	67.500	682.1
2/23/2015 14:00	67.500	682.1
2/23/2015 14:15	67.500	682.1
2/23/2015 14:30	67.500	682.1
2/23/2015 14:45	67.500	682.1
2/23/2015 15:00	67.500	682.1
2/23/2015 15:15	67.500	682.1
2/23/2015 15:30	67.500	682.1
2/23/2015 15:45	67.500	682.1
2/23/2015 16:00	67.500	682.1
2/23/2015 16:15	67.500	682.1
2/23/2015 16:30	67.500	682.0
2/23/2015 16:45	67.500	682.0
2/23/2015 17:00	67.500	682.0
2/23/2015 17:15	67.500	682.0
2/23/2015 17:30	67.500	682.0
2/23/2015 17:45	67.500	682.1
2/23/2015 18:00	67.500	682.1
2/23/2015 18:15	67.500	682.1
2/23/2015 18:30	67.500	682.1
2/23/2015 18:45	67.500	682.1
2/23/2015 19:00	67.500	682.2
2/23/2015 19:15	67.500	682.1
2/23/2015 19:30	67.500	682.1
2/23/2015 19:45	67.500	682.0
2/23/2015 20:00	67.500	682.1
2/23/2015 20:15	67.500	682.1
2/23/2015 20:30	67.500	682.2
2/23/2015 20:45	67.500	682.1
2/23/2015 21:00	67.500	682.1
2/23/2015 21:15	67.500	682.1
2/23/2015 21:30	67.500	682.1
2/23/2015 21:45	67.500	682.1
2/23/2015 22:00	67.500	682.1
2/23/2015 22:15	67.500	682.1
2/23/2015 22:30	67.500	682.1
2/23/2015 22:45	67.500	682.1
2/23/2015 23:00	67.500	682.1
2/23/2015 23:15	67.500	682.1
2/23/2015 23:30	67.500	682.2
2/23/2015 23:45	67.500	682.1
2/24/2015	67.500	682.1
2/24/2015 0:15	67.500	682.2
2/24/2015 0:30	67.500	682.2

2/24/2015 0:45	67.500	682.1
2/24/2015 1:00	67.500	682.1
2/24/2015 1:15	67.500	682.1
2/24/2015 1:30	67.500	682.2
2/24/2015 1:45	67.500	682.1
2/24/2015 2:00	67.500	682.1
2/24/2015 2:15	67.500	682.1
2/24/2015 2:30	67.500	682.1
2/24/2015 2:45	67.500	682.1
2/24/2015 3:00	67.500	682.1
2/24/2015 3:15	67.500	682.1
2/24/2015 3:30	67.500	682.1
2/24/2015 3:45	67.500	682.1
2/24/2015 4:00	67.500	682.1
2/24/2015 4:15	67.500	682.1
2/24/2015 4:30	67.500	682.1
2/24/2015 4:45	67.500	682.1
2/24/2015 5:00	67.500	682.1
2/24/2015 5:15	67.500	682.1
2/24/2015 5:30	67.500	682.1
2/24/2015 5:45	67.500	682.1
2/24/2015 6:00	67.500	682.1
2/24/2015 6:15	67.500	682.1
2/24/2015 6:30	67.500	682.1
2/24/2015 6:45	67.500	682.1
2/24/2015 7:00	67.500	682.1
2/24/2015 7:15	67.500	682.1
2/24/2015 7:30	67.500	682.1
2/24/2015 7:45	67.500	682.1
2/24/2015 8:00	67.500	682.1
2/24/2015 8:15	67.500	682.1
2/24/2015 8:30	67.500	682.1
2/24/2015 8:45	67.500	682.1
2/24/2015 9:00	67.500	682.1
2/24/2015 9:15	67.500	682.1
2/24/2015 9:30	67.500	682.1
2/24/2015 9:45	67.500	682.1
2/24/2015 10:00	67.500	682.1
2/24/2015 10:15	67.500	682.1
2/24/2015 10:30	67.500	682.1
2/24/2015 10:45	67.500	682.1
2/24/2015 11:00	67.500	682.1
2/24/2015 11:15	67.500	682.1
2/24/2015 11:30	67.500	682.1
2/24/2015 11:45	67.500	682.1
2/24/2015 12:00	67.500	682.1
2/24/2015 12:15	67.500	682.1

2/24/2015 12:30	67.500	682.1
2/24/2015 12:45	67.500	682.1
2/24/2015 13:00	67.500	682.1
2/24/2015 13:15	67.500	682.1
2/24/2015 13:30	67.500	682.1
2/24/2015 13:45	67.500	682.1
2/24/2015 14:00	67.500	682.1
2/24/2015 14:15	67.500	682.1
2/24/2015 14:30	67.500	682.1
2/24/2015 14:45	67.500	682.1
2/24/2015 15:00	67.500	682.1
2/24/2015 15:15	67.500	682.1
2/24/2015 15:30	67.500	682.1
2/24/2015 15:45	67.500	682.1
2/24/2015 16:00	67.500	682.1
2/24/2015 16:15	67.500	682.1
2/24/2015 16:30	67.500	682.1
2/24/2015 16:45	67.500	682.1
2/24/2015 17:00	67.500	682.1
2/24/2015 17:15	67.500	682.1
2/24/2015 17:30	67.500	682.1
2/24/2015 17:45	67.500	682.1
2/24/2015 18:00	67.500	682.1
2/24/2015 18:15	67.500	682.1
2/24/2015 18:30	67.500	682.1
2/24/2015 18:45	67.500	682.1
2/24/2015 19:00	67.500	682.1
2/24/2015 19:15	67.500	682.1
2/24/2015 19:30	67.500	682.1
2/24/2015 19:45	67.500	682.1
2/24/2015 20:00	67.500	682.1
2/24/2015 20:15	67.500	682.1
2/24/2015 20:30	67.500	682.1
2/24/2015 20:45	67.500	682.1
2/24/2015 21:00	67.500	682.1
2/24/2015 21:15	67.500	682.1
2/24/2015 21:30	67.500	682.1
2/24/2015 21:45	67.500	682.1
2/24/2015 22:00	67.500	682.1
2/24/2015 22:15	67.500	682.1
2/24/2015 22:30	67.500	682.1
2/24/2015 22:45	67.500	682.1
2/24/2015 23:00	67.500	682.1
2/24/2015 23:15	67.500	682.1
2/24/2015 23:30	67.500	682.1
2/24/2015 23:45	67.500	682.1
2/25/2015	67.500	682.1

2/25/2015 0:15	67.500	682.1
2/25/2015 0:30	67.500	682.1
2/25/2015 0:45	67.500	682.1
2/25/2015 1:00	67.500	682.1
2/25/2015 1:15	67.500	682.1
2/25/2015 1:30	67.500	682.1
2/25/2015 1:45	67.500	682.1
2/25/2015 2:00	67.500	682.1
2/25/2015 2:15	67.500	682.1
2/25/2015 2:30	67.500	682.1
2/25/2015 2:45	67.500	682.1
2/25/2015 3:00	67.500	682.1
2/25/2015 3:15	67.500	682.2
2/25/2015 3:30	67.500	682.1
2/25/2015 3:45	67.500	682.1
2/25/2015 4:00	67.500	682.1
2/25/2015 4:15	67.500	686.0
2/25/2015 4:30	67.500	682.0
2/25/2015 4:45	67.500	682.1
2/25/2015 5:00	67.500	682.1
2/25/2015 5:15	67.500	682.1
2/25/2015 5:30	67.500	682.1
2/25/2015 5:45	67.500	682.1
2/25/2015 6:00	67.500	682.1
2/25/2015 6:15	67.500	682.1
2/25/2015 6:30	67.500	682.1
2/25/2015 6:45	67.500	682.1
2/25/2015 7:00	67.500	682.1
2/25/2015 7:15	67.500	682.1
2/25/2015 7:30	67.500	682.1
2/25/2015 7:45	67.500	682.1
2/25/2015 8:00	67.500	682.1
2/25/2015 8:15	67.500	682.1
2/25/2015 8:30	67.500	682.1
2/25/2015 8:45	67.500	682.1
2/25/2015 9:00	67.500	682.1
2/25/2015 9:15	67.500	682.1
2/25/2015 9:30	67.500	682.1
2/25/2015 9:45	67.500	682.2
2/25/2015 10:00	67.500	682.1
2/25/2015 10:15	67.500	682.1
2/25/2015 10:30	67.500	682.1
2/25/2015 10:45	67.500	682.1
2/25/2015 11:00	67.500	682.1
2/25/2015 11:15	67.500	682.2
2/25/2015 11:30	67.500	682.1
2/25/2015 11:45	67.500	682.1

2/25/2015 12:00	67.500	682.1
2/25/2015 12:15	67.500	682.1
2/25/2015 12:30	67.500	682.0
2/25/2015 12:45	67.500	682.1

Average Flow                      60.130

\* 67.5 CFS is the greatest flow that can be measured at discharge weir