

Date / Time	Reservoir Discharge CFS*	Reservoir Level Ft Above Sea Level
4/1/2015 11:00	67.500	682.1
4/1/2015 11:15	67.500	682.1
4/1/2015 11:30	67.500	682.1
4/1/2015 11:45	67.500	682.0
4/1/2015 12:00	67.500	682.1
4/1/2015 12:15	67.500	682.0
4/1/2015 12:30	67.500	681.9
4/1/2015 12:45	67.500	681.9
4/1/2015 13:00	67.500	681.9
4/1/2015 13:15	67.500	681.9
4/1/2015 13:30	67.500	681.9
4/1/2015 13:45	67.500	681.9
4/1/2015 14:00	67.500	681.9
4/1/2015 14:15	67.500	681.9
4/1/2015 14:30	67.500	681.9
4/1/2015 14:45	67.500	681.9
4/1/2015 15:00	67.500	681.9
4/1/2015 15:15	67.500	681.9
4/1/2015 15:30	67.500	681.9
4/1/2015 15:45	67.500	681.9
4/1/2015 16:00	67.500	681.9
4/1/2015 16:15	67.500	681.9
4/1/2015 16:30	67.500	681.9
4/1/2015 16:45	67.500	681.9
4/1/2015 17:00	67.500	681.9
4/1/2015 17:15	67.500	681.9
4/1/2015 17:30	67.500	682.0
4/1/2015 17:45	67.500	682.0
4/1/2015 18:00	67.500	682.0
4/1/2015 18:15	67.500	681.9
4/1/2015 18:30	67.500	682.0
4/1/2015 18:45	67.500	682.0
4/1/2015 19:00	67.500	682.0
4/1/2015 19:15	67.500	682.0
4/1/2015 19:30	67.500	682.0
4/1/2015 19:45	67.500	682.0
4/1/2015 20:00	67.500	682.0
4/1/2015 20:15	67.500	682.0
4/1/2015 20:30	67.500	682.0
4/1/2015 20:45	67.500	682.0
4/1/2015 21:00	67.500	682.0
4/1/2015 21:15	67.500	682.0
4/1/2015 21:30	67.500	682.0
4/1/2015 21:45	67.500	682.0
4/1/2015 22:00	67.500	682.0

4/1/2015 22:15	67.500	682.1
4/1/2015 22:30	67.500	682.1
4/1/2015 22:45	67.500	682.1
4/1/2015 23:00	67.500	682.1
4/1/2015 23:15	67.500	682.0
4/1/2015 23:30	67.500	682.0
4/1/2015 23:45	67.500	682.1
4/2/2015	67.500	682.0
4/2/2015 0:15	67.500	682.0
4/2/2015 0:30	67.500	682.0
4/2/2015 0:45	67.500	682.0
4/2/2015 1:00	67.500	682.1
4/2/2015 1:15	67.500	682.1
4/2/2015 1:30	67.500	682.1
4/2/2015 1:45	67.500	682.1
4/2/2015 2:00	67.500	682.1
4/2/2015 2:15	67.500	682.1
4/2/2015 2:30	67.500	682.1
4/2/2015 2:45	67.500	682.1
4/2/2015 3:00	67.500	682.1
4/2/2015 3:15	67.500	682.0
4/2/2015 3:30	67.500	682.0
4/2/2015 3:45	67.500	682.0
4/2/2015 4:00	67.500	682.0
4/2/2015 4:15	67.500	682.0
4/2/2015 4:30	67.500	682.0
4/2/2015 4:45	67.500	682.1
4/2/2015 5:00	67.500	682.1
4/2/2015 5:15	67.500	682.0
4/2/2015 5:30	67.500	682.0
4/2/2015 5:45	67.500	682.0
4/2/2015 6:00	67.500	682.0
4/2/2015 6:15	67.500	682.0
4/2/2015 6:30	67.500	682.1
4/2/2015 6:45	67.500	682.1
4/2/2015 7:00	67.500	682.1
4/2/2015 7:15	67.500	682.1
4/2/2015 7:30	67.500	682.1
4/2/2015 7:45	67.500	682.1
4/2/2015 8:00	67.500	682.1
4/2/2015 8:15	67.500	682.1
4/2/2015 8:30	67.500	682.1
4/2/2015 8:45	67.500	682.1
4/2/2015 9:00	67.500	682.1
4/2/2015 9:15	67.500	682.1
4/2/2015 9:30	43.545	682.1
4/2/2015 9:45	67.500	682.0

4/2/2015 10:00	67.500	682.1
4/2/2015 10:15	67.500	682.1
4/2/2015 10:30	67.500	682.0
4/2/2015 10:45	67.500	682.0
4/2/2015 11:00	67.500	682.0
4/2/2015 11:15	67.500	682.0
4/2/2015 11:30	67.500	682.0
4/2/2015 11:45	67.500	682.0
4/2/2015 12:00	67.500	682.0
4/2/2015 12:15	67.500	681.9
4/2/2015 12:30	67.500	681.9
4/2/2015 12:45	67.500	681.9
4/2/2015 13:00	67.500	681.9
4/2/2015 13:15	67.500	681.9
4/2/2015 13:30	67.500	682.0
4/2/2015 13:45	67.500	681.8
4/2/2015 14:00	67.500	681.9
4/2/2015 14:15	67.500	681.9
4/2/2015 14:30	67.500	681.8
4/2/2015 14:45	67.500	681.9
4/2/2015 15:00	67.500	682.0
4/2/2015 15:15	67.500	681.9
4/2/2015 15:30	67.500	682.0
4/2/2015 15:45	67.500	681.9
4/2/2015 16:00	67.500	682.0
4/2/2015 16:15	67.500	681.9
4/2/2015 16:30	67.500	682.0
4/2/2015 16:45	67.500	682.0
4/2/2015 17:00	67.500	682.0
4/2/2015 17:15	67.500	682.0
4/2/2015 17:30	67.500	682.0
4/2/2015 17:45	67.500	681.9
4/2/2015 18:00	67.500	681.9
4/2/2015 18:15	67.500	682.0
4/2/2015 18:30	67.500	682.0
4/2/2015 18:45	67.500	682.0
4/2/2015 19:00	67.500	682.0
4/2/2015 19:15	67.500	682.0
4/2/2015 19:30	67.500	682.0
4/2/2015 19:45	67.500	682.0
4/2/2015 20:00	67.500	682.1
4/2/2015 20:15	67.500	682.0
4/2/2015 20:30	67.500	682.1
4/2/2015 20:45	67.500	682.1
4/2/2015 21:00	67.500	682.1
4/2/2015 21:15	67.500	682.1
4/2/2015 21:30	67.500	682.1

4/2/2015 21:45	67.500	682.1
4/2/2015 22:00	67.500	682.0
4/2/2015 22:15	67.500	682.1
4/2/2015 22:30	67.500	682.1
4/2/2015 22:45	67.500	682.1
4/2/2015 23:00	67.500	682.1
4/2/2015 23:15	67.500	682.0
4/2/2015 23:30	67.500	682.0
4/2/2015 23:45	67.500	682.1
4/3/2015	67.500	682.0
4/3/2015 0:15	67.500	682.1
4/3/2015 0:30	67.500	682.0
4/3/2015 0:45	67.500	682.1
4/3/2015 1:00	66.599	682.0
4/3/2015 1:15	66.704	682.1
4/3/2015 1:30	65.693	682.0
4/3/2015 1:45	65.969	682.0
4/3/2015 2:00	67.404	682.0
4/3/2015 2:15	67.500	682.0
4/3/2015 2:30	67.500	682.0
4/3/2015 2:45	64.594	682.0
4/3/2015 3:00	67.500	682.0
4/3/2015 3:15	67.500	682.0
4/3/2015 3:30	67.500	682.0
4/3/2015 3:45	67.500	682.0
4/3/2015 4:00	67.209	682.0
4/3/2015 4:15	67.432	682.0
4/3/2015 4:30	67.114	682.0
4/3/2015 4:45	67.500	682.1
4/3/2015 5:00	67.500	682.1
4/3/2015 5:15	67.500	682.0
4/3/2015 5:30	67.500	682.0
4/3/2015 5:45	67.183	682.0
4/3/2015 6:00	67.500	682.1
4/3/2015 6:15	67.500	682.0
4/3/2015 6:30	67.500	682.0
4/3/2015 6:45	67.500	682.1
4/3/2015 7:00	67.500	682.0
4/3/2015 7:15	67.500	682.0
4/3/2015 7:30	67.255	682.0
4/3/2015 7:45	66.785	682.0
4/3/2015 8:00	67.500	682.0
4/3/2015 8:15	65.844	682.0
4/3/2015 8:30	67.500	682.0
4/3/2015 8:45	67.500	682.0
4/3/2015 9:00	67.500	682.0
4/3/2015 9:15	67.500	682.0

4/3/2015 9:30	67.500	682.0
4/3/2015 9:45	67.500	682.0
4/3/2015 10:00	67.500	682.0
4/3/2015 10:15	67.500	682.0
4/3/2015 10:30	67.500	682.0
4/3/2015 10:45	67.500	682.1
4/3/2015 11:00	65.586	682.0
4/3/2015 11:15	67.500	682.0
4/3/2015 11:30	67.500	682.0
4/3/2015 11:45	67.500	682.0
4/3/2015 12:00	67.500	681.9
4/3/2015 12:15	67.500	682.0
4/3/2015 12:30	67.500	681.8
4/3/2015 12:45	67.500	682.0
4/3/2015 13:00	67.500	681.9
4/3/2015 13:15	67.500	681.9
4/3/2015 13:30	67.500	681.8
4/3/2015 13:45	67.500	682.0
4/3/2015 14:00	67.500	682.0
4/3/2015 14:15	67.500	681.9
4/3/2015 14:30	67.500	682.0
4/3/2015 14:45	67.500	681.9
4/3/2015 15:00	67.500	682.0
4/3/2015 15:15	67.500	682.0
4/3/2015 15:30	67.500	681.8
4/3/2015 15:45	67.500	682.0
4/3/2015 16:00	67.500	681.8
4/3/2015 16:15	67.500	681.8
4/3/2015 16:30	67.500	682.0
4/3/2015 16:45	67.500	682.0
4/3/2015 17:00	67.500	681.9
4/3/2015 17:15	67.500	681.9
4/3/2015 17:30	67.500	681.9
4/3/2015 17:45	67.500	682.0
4/3/2015 18:00	67.500	681.9
4/3/2015 18:15	67.500	682.0
4/3/2015 18:30	67.500	682.0
4/3/2015 18:45	67.500	682.0
4/3/2015 19:00	67.500	682.0
4/3/2015 19:15	67.500	682.0
4/3/2015 19:30	66.598	682.0
4/3/2015 19:45	64.717	682.0
4/3/2015 20:00	66.629	682.0
4/3/2015 20:15	66.088	682.0
4/3/2015 20:30	63.944	682.0
4/3/2015 20:45	63.905	682.0
4/3/2015 21:00	63.272	682.0

4/3/2015 21:15	65.528	682.0
4/3/2015 21:30	64.482	682.0
4/3/2015 21:45	65.300	682.0
4/3/2015 22:00	67.255	682.1
4/3/2015 22:15	67.335	682.0
4/3/2015 22:30	67.500	682.1
4/3/2015 22:45	65.494	682.1
4/3/2015 23:00	66.000	682.0
4/3/2015 23:15	67.041	682.0
4/3/2015 23:45	66.767	682.0
4/4/2015	66.709	682.0
4/4/2015 0:15	66.918	682.0
4/4/2015 0:30	64.972	682.0
4/4/2015 0:45	67.500	682.0
4/4/2015 1:00	67.500	682.0
4/4/2015 1:15	67.500	681.9
4/4/2015 1:30	67.500	681.9
4/4/2015 1:45	67.500	682.0
4/4/2015 2:00	67.500	682.0
4/4/2015 2:15	67.500	682.0
4/4/2015 2:30	67.500	682.0
4/4/2015 2:45	67.500	682.0
4/4/2015 3:00	67.500	682.0
4/4/2015 3:15	66.992	682.1
4/4/2015 3:30	66.883	682.0
4/4/2015 3:45	67.500	682.0
4/4/2015 4:00	67.500	682.0
4/4/2015 4:15	67.500	682.0
4/4/2015 4:30	67.500	681.9
4/4/2015 4:45	67.500	682.0
4/4/2015 5:00	67.500	682.0
4/4/2015 5:15	67.500	682.0
4/4/2015 5:30	67.500	682.1
4/4/2015 5:45	67.500	682.1
4/4/2015 6:00	67.500	682.0
4/4/2015 6:15	67.500	681.9
4/4/2015 6:30	67.500	682.1
4/4/2015 6:45	67.500	681.9
4/4/2015 7:00	67.500	682.0
4/4/2015 7:15	67.500	681.9
4/4/2015 7:30	67.500	681.9
4/4/2015 7:45	67.500	682.0
4/4/2015 8:00	67.500	682.2
4/4/2015 8:15	67.500	681.9
4/4/2015 8:30	67.500	681.9
4/4/2015 8:45	67.500	681.8
4/4/2015 9:00	67.500	682.1

4/4/2015 9:15	67.500	682.0
4/4/2015 9:30	67.500	682.0
4/4/2015 9:45	67.500	682.1
4/4/2015 10:00	67.500	682.1
4/4/2015 10:15	67.500	682.0
4/4/2015 10:30	67.500	682.2
4/4/2015 10:45	67.500	682.1
4/4/2015 11:00	67.500	681.9
4/4/2015 11:15	67.500	682.0
4/4/2015 11:30	67.500	681.9
4/4/2015 11:45	67.500	682.1
4/4/2015 12:00	67.500	681.8
4/4/2015 12:15	67.500	682.0
4/4/2015 12:30	67.500	682.0
4/4/2015 12:45	67.500	682.0
4/4/2015 13:00	67.500	681.9
4/4/2015 13:15	67.500	681.9
4/4/2015 13:30	67.500	681.9
4/4/2015 13:45	67.500	681.9
4/4/2015 14:00	67.500	681.8
4/4/2015 14:15	67.500	682.0
4/4/2015 14:30	67.500	681.8
4/4/2015 14:45	67.500	681.9
4/4/2015 15:00	67.500	681.8
4/4/2015 15:15	67.500	681.9
4/4/2015 15:30	67.500	682.0
4/4/2015 15:45	67.500	681.8
4/4/2015 16:00	67.500	681.8
4/4/2015 16:15	67.500	681.9
4/4/2015 16:30	67.500	681.9
4/4/2015 16:45	67.500	681.9
4/4/2015 17:00	67.500	682.0
4/4/2015 17:15	67.500	681.9
4/4/2015 17:30	67.500	681.9
4/4/2015 17:45	67.500	682.0
4/4/2015 18:00	67.500	681.9
4/4/2015 18:15	67.500	681.9
4/4/2015 18:30	66.074	681.9
4/4/2015 18:45	67.500	681.9
4/4/2015 19:00	67.500	682.0
4/4/2015 19:15	67.500	681.9
4/4/2015 19:30	67.500	681.9
4/4/2015 19:45	67.500	681.9
4/4/2015 20:00	66.722	682.0
4/4/2015 20:15	63.814	682.0
4/4/2015 20:30	60.752	682.0
4/4/2015 20:45	57.446	682.0

4/4/2015 21:00	49.535	682.0
4/4/2015 21:15	54.587	682.0
4/4/2015 21:30	54.026	682.0
4/4/2015 21:45	54.537	682.0
4/4/2015 22:00	55.860	682.0
4/4/2015 22:15	56.607	681.9
4/4/2015 22:30	54.828	681.9
4/4/2015 22:45	56.061	682.0
4/4/2015 23:00	47.328	682.0
4/4/2015 23:15	53.807	682.0
4/4/2015 23:30	54.991	682.0
4/4/2015 23:45	54.217	682.0
4/5/2015	54.006	682.0
4/5/2015 0:15	55.817	682.0
4/5/2015 0:30	52.826	682.0
4/5/2015 0:45	55.030	681.9
4/5/2015 1:00	55.305	682.0
4/5/2015 1:15	52.998	682.0
4/5/2015 1:30	55.518	682.0
4/5/2015 1:45	53.070	682.0
4/5/2015 2:00	53.188	682.0
4/5/2015 2:15	56.046	682.0
4/5/2015 2:30	53.871	682.0
4/5/2015 2:45	53.530	682.0
4/5/2015 3:00	55.171	682.0
4/5/2015 3:15	52.128	682.0
4/5/2015 3:30	54.987	681.9
4/5/2015 3:45	53.655	682.0
4/5/2015 4:00	53.047	682.0
4/5/2015 4:15	53.301	682.0
4/5/2015 4:30	54.369	682.0
4/5/2015 4:45	52.720	682.0
4/5/2015 5:00	54.132	682.0
4/5/2015 5:15	53.913	682.0
4/5/2015 5:30	52.715	682.0
4/5/2015 5:45	54.831	682.0
4/5/2015 6:00	54.574	682.0
4/5/2015 6:15	53.460	682.0
4/5/2015 6:30	50.527	682.0
4/5/2015 6:45	52.407	682.0
4/5/2015 7:00	53.642	682.0
4/5/2015 7:15	50.693	681.9
4/5/2015 7:30	46.629	682.0
4/5/2015 7:45	53.196	682.0
4/5/2015 8:00	53.361	682.0
4/5/2015 8:15	53.904	682.0
4/5/2015 8:30	51.864	682.0



4/5/2015 8:45	51.430	682.0
4/5/2015 9:00	44.203	682.1
4/5/2015 9:15	50.918	682.1
4/5/2015 9:30	51.684	682.1
4/5/2015 9:45	55.936	682.1
4/5/2015 10:00	54.253	682.0
4/5/2015 10:15	53.441	682.1
4/5/2015 10:30	50.458	682.1
4/5/2015 10:45	53.447	682.0
4/5/2015 11:00	48.213	682.0
4/5/2015 11:15	50.492	682.0
4/5/2015 11:30	50.613	682.0
4/5/2015 11:45	49.059	682.0
4/5/2015 12:00	48.867	681.9
4/5/2015 12:15	40.892	681.9
4/5/2015 12:30	49.533	681.9
4/5/2015 12:45	49.436	681.8
4/5/2015 13:00	48.637	681.8
4/5/2015 13:15	52.248	681.8
4/5/2015 13:30	47.541	681.8
4/5/2015 13:45	53.399	681.8
4/5/2015 14:00	51.479	681.8
4/5/2015 14:15	51.339	681.8
4/5/2015 14:30	55.555	681.8
4/5/2015 14:45	50.519	681.8
4/5/2015 15:00	47.520	681.8
4/5/2015 15:15	50.082	681.9
4/5/2015 15:30	48.165	681.8
4/5/2015 15:45	53.379	681.8
4/5/2015 16:00	49.275	681.8
4/5/2015 16:15	54.377	681.8
4/5/2015 16:30	53.121	681.9
4/5/2015 16:45	49.990	681.9
4/5/2015 17:00	50.417	681.9
4/5/2015 17:15	51.286	681.8
4/5/2015 17:30	51.294	681.9
4/5/2015 17:45	51.863	681.9
4/5/2015 18:00	51.247	681.9
4/5/2015 18:15	53.216	681.8
4/5/2015 18:30	51.302	681.9
4/5/2015 18:45	52.056	681.9
4/5/2015 19:00	50.102	681.9
4/5/2015 19:15	49.460	681.9
4/5/2015 19:30	48.856	681.9
4/5/2015 19:45	47.436	682.0
4/5/2015 20:00	48.548	682.0
4/5/2015 20:15	47.874	682.0

4/5/2015 20:30	47.943	682.0
4/5/2015 20:45	48.603	682.0
4/5/2015 21:00	49.119	681.9
4/5/2015 21:15	48.517	682.0
4/5/2015 21:30	49.687	682.0
4/5/2015 21:45	48.456	681.9
4/5/2015 22:00	49.614	682.0
4/5/2015 22:15	43.613	682.0
4/5/2015 22:30	49.970	682.0
4/5/2015 22:45	48.865	682.0
4/5/2015 23:00	48.132	682.0
4/5/2015 23:15	48.009	682.0
4/5/2015 23:30	49.093	682.0
4/5/2015 23:45	48.567	681.9
4/6/2015	46.407	681.9
4/6/2015 0:15	48.782	682.0
4/6/2015 0:30	47.521	682.0
4/6/2015 0:45	47.016	682.0
4/6/2015 1:00	47.533	682.1
4/6/2015 1:15	48.669	682.1
4/6/2015 1:30	49.456	682.1
4/6/2015 1:45	50.088	682.1
4/6/2015 2:00	48.040	682.1
4/6/2015 2:15	48.306	682.1
4/6/2015 2:30	47.057	682.0
4/6/2015 2:45	47.384	682.0
4/6/2015 3:00	47.887	682.0
4/6/2015 3:15	49.248	682.0
4/6/2015 3:30	47.308	682.0
4/6/2015 3:45	48.156	682.0
4/6/2015 4:00	48.090	682.0
4/6/2015 4:15	47.439	682.0
4/6/2015 4:30	48.499	682.0
4/6/2015 4:45	47.303	682.0
4/6/2015 5:00	48.154	682.0
4/6/2015 5:15	46.941	682.0
4/6/2015 5:30	47.821	682.0
4/6/2015 5:45	47.327	682.0
4/6/2015 6:00	46.468	682.0
4/6/2015 6:15	48.491	682.0
4/6/2015 6:30	47.030	682.0
4/6/2015 6:45	46.072	682.0
4/6/2015 7:00	46.718	682.0
4/6/2015 7:15	48.453	682.0
4/6/2015 7:30	49.082	682.0
4/6/2015 7:45	48.640	682.0
4/6/2015 8:00	48.964	682.0

4/6/2015 8:15	47.185	682.0
4/6/2015 8:30	47.550	682.0
4/6/2015 8:45	49.223	682.0
4/6/2015 9:00	49.971	682.0
4/6/2015 9:15	48.650	682.0
4/6/2015 9:30	47.325	682.0
4/6/2015 9:45	47.780	682.0
4/6/2015 10:00	46.215	682.0
4/6/2015 10:15	47.916	682.0
4/6/2015 10:30	47.762	682.0
4/6/2015 10:45	48.760	682.0
4/6/2015 11:00	50.404	682.0
4/6/2015 11:15	53.913	682.0
4/6/2015 11:30	49.683	682.0
4/6/2015 11:45	51.778	681.9
4/6/2015 12:00	48.911	681.9
4/6/2015 12:15	46.769	681.9
4/6/2015 12:30	48.732	681.7
4/6/2015 12:45	49.996	681.9
4/6/2015 13:00	49.792	681.9
4/6/2015 13:15	52.953	681.9
4/6/2015 13:30	44.773	681.9
4/6/2015 13:45	50.431	681.9
4/6/2015 14:00	44.686	681.8
4/6/2015 14:15	46.057	681.8
4/6/2015 14:30	49.867	681.8
4/6/2015 14:45	50.009	681.8
4/6/2015 15:00	49.984	681.9
4/6/2015 15:15	47.738	681.9
4/6/2015 15:30	47.852	681.9
4/6/2015 15:45	46.924	681.8
4/6/2015 16:00	48.080	681.9
4/6/2015 16:15	48.915	681.8
4/6/2015 16:30	45.143	681.9
4/6/2015 16:45	46.596	681.9
4/6/2015 17:00	40.136	681.9
4/6/2015 17:15	44.063	681.9
4/6/2015 17:30	44.153	681.9
4/6/2015 17:45	45.649	681.9
4/6/2015 18:00	46.959	681.9
4/6/2015 18:15	45.221	682.0
4/6/2015 18:30	46.243	682.0
4/6/2015 18:45	44.431	682.0
4/6/2015 19:00	43.616	682.0
4/6/2015 19:15	39.992	682.0
4/6/2015 19:30	43.270	682.0
4/6/2015 19:45	43.786	682.0

4/6/2015 20:00	44.786	682.0
4/6/2015 20:15	46.026	682.0
4/6/2015 20:30	45.285	682.0
4/6/2015 20:45	44.436	682.0
4/6/2015 21:00	44.653	682.0
4/6/2015 21:30	44.539	682.0
4/6/2015 21:45	45.404	682.0
4/6/2015 22:00	45.563	682.0
4/6/2015 22:15	44.855	682.0
4/6/2015 22:30	45.390	682.0
4/6/2015 22:45	42.856	682.0
4/6/2015 23:00	45.774	682.0
4/6/2015 23:15	44.486	682.0
4/6/2015 23:30	42.315	681.9
4/6/2015 23:45	44.333	681.9
4/7/2015	44.013	682.0
4/7/2015 0:15	43.136	682.0
4/7/2015 0:30	43.830	682.0
4/7/2015 0:45	43.593	682.0
4/7/2015 1:00	43.846	682.0
4/7/2015 1:15	45.331	682.0
4/7/2015 1:30	43.808	682.0
4/7/2015 1:45	45.254	682.0
4/7/2015 2:00	43.981	682.0
4/7/2015 2:15	44.487	682.0
4/7/2015 2:30	44.460	682.0
4/7/2015 2:45	45.942	682.0
4/7/2015 3:00	44.795	682.0
4/7/2015 3:15	44.053	682.0
4/7/2015 3:30	45.674	682.0
4/7/2015 3:45	45.085	682.0
4/7/2015 4:00	43.917	682.0
4/7/2015 4:15	46.264	682.0
4/7/2015 4:30	45.403	682.0
4/7/2015 4:45	46.952	682.0
4/7/2015 5:00	45.538	682.0
4/7/2015 5:15	43.738	682.0
4/7/2015 5:30	45.474	682.0
4/7/2015 5:45	46.007	682.0
4/7/2015 6:00	47.450	682.0
4/7/2015 6:15	47.319	682.0
4/7/2015 6:30	45.181	682.0
4/7/2015 6:45	47.151	682.0
4/7/2015 7:00	47.027	682.0
4/7/2015 7:15	47.859	682.0
4/7/2015 7:30	48.490	682.0
4/7/2015 7:45	46.144	682.0

4/7/2015 8:00	47.378	682.0
4/7/2015 8:15	44.784	682.0
4/7/2015 8:30	44.970	682.0
4/7/2015 8:45	41.585	682.0
4/7/2015 9:00	45.513	682.0
4/7/2015 9:15	45.406	682.0
4/7/2015 9:30	35.154	682.0
4/7/2015 9:45	48.019	682.0
4/7/2015 10:00	48.992	682.0
4/7/2015 10:15	48.797	682.0
4/7/2015 10:30	46.999	682.0
4/7/2015 10:45	48.159	682.0
4/7/2015 11:00	47.894	682.0
4/7/2015 11:15	47.954	681.9
4/7/2015 11:30	50.294	682.0
4/7/2015 11:45	48.024	682.0
4/7/2015 12:00	47.483	682.0
4/7/2015 12:15	46.887	682.0
4/7/2015 12:30	47.679	682.0
4/7/2015 12:45	49.591	682.0
4/7/2015 13:00	48.723	682.0
4/7/2015 13:15	48.181	682.0
4/7/2015 13:30	48.772	682.0
4/7/2015 13:45	47.292	682.0
4/7/2015 14:00	49.877	681.9
4/7/2015 14:15	50.071	682.0
4/7/2015 14:30	51.746	682.0
4/7/2015 14:45	50.478	682.0
4/7/2015 15:00	48.829	682.0
4/7/2015 15:15	46.888	682.0
4/7/2015 15:30	45.851	682.0
4/7/2015 15:45	49.342	682.0
4/7/2015 16:00	50.346	682.0
4/7/2015 16:45	48.881	682.0
4/7/2015 17:00	48.986	682.0
4/7/2015 17:15	46.568	681.9
4/7/2015 17:30	48.793	682.0
4/7/2015 17:45	48.756	682.0
4/7/2015 18:00	49.223	682.0
4/7/2015 18:15	46.133	682.0
4/7/2015 18:30	46.184	681.9
4/7/2015 18:45	49.830	681.9
4/7/2015 19:15	47.379	682.0
4/7/2015 19:30	49.301	682.0
4/7/2015 19:45	47.565	682.0
4/7/2015 20:00	42.837	682.0
4/7/2015 20:15	44.668	682.0

4/7/2015 20:30	46.833	682.0
4/7/2015 20:45	46.929	682.0
4/7/2015 21:00	43.795	682.0
4/7/2015 21:15	46.668	682.0
4/7/2015 21:30	47.881	682.0
4/7/2015 21:45	47.008	682.0
4/7/2015 22:00	47.501	682.0
4/7/2015 22:15	44.296	682.0
4/7/2015 22:30	46.848	682.0
4/7/2015 22:45	46.928	682.0
4/7/2015 23:00	48.133	682.0
4/7/2015 23:15	46.749	682.0
4/7/2015 23:30	46.230	682.0
4/7/2015 23:45	48.696	682.0
4/8/2015	47.742	682.0
4/8/2015 0:15	47.336	682.0
4/8/2015 0:30	47.641	682.0
4/8/2015 0:45	47.018	682.0
4/8/2015 1:00	47.926	682.0
4/8/2015 1:15	46.946	682.0
4/8/2015 1:30	48.190	682.0
4/8/2015 1:45	48.285	682.0
4/8/2015 2:15	46.956	682.0
4/8/2015 2:30	48.138	682.0
4/8/2015 2:45	46.631	682.0
4/8/2015 3:00	47.820	682.0
4/8/2015 3:15	44.927	682.0
4/8/2015 3:45	45.461	682.0
4/8/2015 4:00	48.263	682.0
4/8/2015 4:15	48.481	682.0
4/8/2015 4:30	47.470	682.0
4/8/2015 4:45	46.733	682.0
4/8/2015 5:00	49.016	682.0
4/8/2015 5:30	49.018	682.0
4/8/2015 5:45	47.163	682.0
4/8/2015 6:15	49.106	682.0
4/8/2015 6:30	48.237	682.0
4/8/2015 6:45	51.008	682.0
4/8/2015 7:00	46.210	682.0
4/8/2015 7:15	47.123	682.0
4/8/2015 7:30	46.985	682.0
4/8/2015 7:45	48.011	682.0
4/8/2015 8:00	51.034	682.0
4/8/2015 8:15	48.179	682.0
4/8/2015 8:30	47.938	682.0
4/8/2015 8:45	49.636	682.0
4/8/2015 9:00	47.356	682.0

4/8/2015 9:15	51.760	682.0
4/8/2015 9:30	49.787	682.0
4/8/2015 10:00	51.746	682.0
4/8/2015 10:15	46.691	682.0
4/8/2015 10:30	47.694	682.0
4/8/2015 10:45	49.661	682.0
4/8/2015 11:00	48.639	682.0
4/8/2015 11:15	48.880	682.0
4/8/2015 11:30	49.119	682.0
4/8/2015 11:45	48.888	682.0
4/8/2015 12:00	47.961	681.9
4/8/2015 12:15	45.048	681.9
4/8/2015 12:30	44.450	681.9
4/8/2015 12:45	47.452	681.9
4/8/2015 13:00	47.023	681.9

Average Flow 57.624

\* 67.5 CFS is the greatest flow that can be measured at discharge weir